

## GL4500P Series

### ESD Inspection Gloves - Palm Coated

**ESD inspection gloves are worn when handling ESD susceptible items when cleanliness is a priority.**

Transforming Technologies ESD inspection gloves are designed to be worn when handling ESD susceptible items. They are made with a dissipative nylon to reduce charge generation. Polyurethane coated palms allow for excellent grip and increases breathability. A seamless fine gauge knit, a finished rolled cuff and uncoated back are designed for comfort and breathability. Transforming Technologies' ESD inspection gloves may be laundered for repeated use. Sold in packs of 12 pairs.

#### ESD Properties:

They are made with a dissipative nylon to reduce charge generation. The gloves have a resistance of  $10^6$ — $10^8$  and ESD properties are not effected by laundering.

#### Clean Applications:

The GL4500P series are ideal for applications that require clean assembly. They reduce the transfer of fingerprints, oils, and other skin contaminants when handling sensitive items. The gloves are made with a seamless, fine gauge knit nylon which results in a low-linting properties.



## Features

- ESD gloves are to be worn when handling static sensitive items
- Coated Palms for Excellent Grip
- Breathable and Comfortable
- Fine gauge Knit Nylon and Carbon
- Finished Rolled Cuff
- Washable

**TRANSFORMING TECHNOLOGIES**  
OUTSTANDING ALTERNATIVES IN STATIC CONTROL



## GL4500

ESD Inspection Gloves

#### Inspection Glove Sizing

	Cuff	Cuff to Tip
XS	2.8"	8"
S	2.8"	8"
M	2.8"	8"
L	3"	8.5"
XL	3"	8.75"
2XL	3"	9"

Carbon 5.1%  
Polyamide 10%  
Elastic 10.4%  
Nylon 74.5%



#### Specifications:

Fabric:	Nylon & Conductive Carbon
Grip:	Palm Coated with Polyurethane
Cuff:	Finished Rolled Cuff
Resistance:	$10^6$ - $10^8$ per ANSI/ESD SP15.1
Composition:	Carbon 5.1% Polyamide 10 % Elastic 10.4% Nylon:74.5%

#### Part Numbers:

Item No.	Size	Length
GL4501P	X-Small	8"
GL4502P	Small	8"
GL4503P	Medium	8"
GL4504P	Large	8.5"
GL4505P	X-Large	8.75"
GL4506P	2X-Large	9"

This document is prepared for our customers as a service, and is to the best of our knowledge true and accurate. However, it is understood and agreed by the users of this document that we will accept no liability for the conclusions reached. Users of this document may therefore wish to perform additional testing before determining that products mentioned are suitable.