


## ESD Sheet Protectors

Model DC1185

### Static Dissipative Sheet Protectors.

This product is designed for use in ESD controlled areas where there are ESD sensitive devices. All static dissipative sheet protectors are made from 2 mil, stable, amine-free, polypropylene clear film. Dissipative properties have an effective shelf life exceeding two years. Designed to hold 8.5" x 11" sheets.

Meets or exceeds requirements of ANSI ESD-S20.20.



#### Part Numbers:

DC1185 ESD Sheet Protectors

#### Electrical Properties:

Static Decay:	< 1 sec.	FTMS 101C, Method 4046
Surface Resistivity:	10e9 – 10e11	ASTM D-257

#### Specifications:

Size:	8.625" x 11.25"	
Thickness:	2mil	
Tensile Strength:	2400 psi	ASTM D-882
Elongation at Break:	600%	ASTM D-882

Sheet protector comes with holes for US standard three ring binder.  
White stripe, ESD symbol.



### Features

- Static Dissipative Material
- 2 mil, Amine-Free Polypropylene
- Resistance: Less than 10<sup>11</sup>
- Three Hole Punch for Use In Binders
- White Stripe with ESD Symbol
- Size: 8.5" x 11"
- Recyclable

### Applications:

Protect your ESD workstation from harmful static discharges from paper-work such as work instructions and signs. Excellent for use in ESD binders or as shop travelers.

This document is prepared for our customers as a service, and is to the best of our knowledge true and accurate. However, it is understood and agreed by the users of this document that we will accept no liability for the conclusions reached. Users of this document may therefore wish to perform additional testing before determining that products mentioned are suitable.