


MT2500 Series Two Layer ESD Table Mat

Protect your sensitive items as well as your work surface with durable ESD matting.

The 2500 series ESD control mats from Transforming Technologies are made of a durable 0.060"thick rubber. A conductive layer backs the static dissipative top layer that creates outstanding electrical performance characteristics. The 2500 series offers excellent resistance to hot solders, soldering irons and most solvents.

MT2500 is available in rolls or cut mats. Cut mats are packaged individually with 10mm snaps and a common point ground cord. Full rolls are 50ft long and can be easily cut with a utility knife to fit your unique workstation. Available in nasa blue, royal blue and gray colors.

Meets or exceeds requirements of ANSI/ESD S20.20 per ANSI/ESD STM4.1



Features

- Two Layer Rubber: 10^6-10^8 Rtt
- Excellent Resistance to Hold Solders, Soldering Irons and Most Solvents
- Available in 50ft rolls or an assortment of ready made table mats.
- Colors: Nasa Blue, Royal Blue and Gray

Applications:

Creates an ESD safe work area by a providing a path-to-ground for electrical charges as well as protecting the work surface from damage.

_	-:£:	

Specifications: Thickness 0.060" Hardness 60 Shore A >1000 PSI Tensile Strength Elongation >300% Temperature 190F (87C) Nasa Blue, Gray, Royal Blue Color

Rubber Premium NBR **RTGP** 8 x 106□80hms 2 x 106□8ohms Charge Decay 0.01Seconds

Meets or exceeds requirements of ANSI/ESD

S20.20 per ANSI/ESD STM4.1

Part Numbers: Full Rolls

MT2524B Roll Nasa Blue, 24" x 50' x .060" MT2524RB Roll Royal Blue, 24" x 50' x .060" MT2524GY Roll Gray, 24" x 50' x .060" MT2530B Roll, Nasa Blue, 30" x 50' x .060" MT2530RB Roll, Royal Blue, 30" x 50' x .060" MT2530GY Roll, Gray, 30" x 50' x .060" Roll, Nasa Blue, 36" x 50' x .060" MT2536B MT2530RB Roll, Royal Blue, 36" x 50' x .060" MT2536GY

Roll, Gray, 36" x 50' x .060"

Part Numbers:

Cut Mats MTLP2436 Mat, 24" x 36"x .060", Hardware Mat, 24" x 36"x .060", Hardware Mat, 24" x 48"x .060", Hardware Mat, 24" x 60"x .060", Hardware Mat, 24" x 72"x .060", Hardware Mat, 36" x 48"x .060", Hardware Mat, 36" x 72"x .060", Hardware MTLP2448 MTLP2460 MTLP2472 MTLP3648 MTLP3672

Shipping Dimensions and Weights Roll, 24"x50': 45lbs - 25"x 8' 45lbs - 25"x 8"x 8" Roll, 30"x50': 57lbs - 31"x 8"x 8" Roll, 36"x50": 69lbs - 37"x 8"x 8"

Slows charge removal; meets minimum recommended work surface requirements of ANSI/ESD S20.20 and recommendations of ESD 4.1

This document is prepared for our customers as a service, and is to the best of our knowledge true and accurate. However, it is understood and agreed by the users of this document that we will accept no liability for the conclusions reached. Users of this document may therefore wish to perform additional testing before determining that products mentioned are suitable.